

**To:** [Nonresponsive based on revised scope]@WestonSolutions.com]; Wagner, Christine[Wagner.Christine@epa.gov]  
**Cc:** [Nonresponsive based on revised scope]@westonsolutions.com]  
**From:** Burman, Jarmael[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=7FCC85CF014C4D33B0EC8C973172A0D4-BURMAN, JARMAEL]  
**Sent:** Tue 9/17/2019 7:59:47 PM (UTC)  
**Subject:** RE: Case Status Update

Unfortunately I will not be able to extend the Shiloh Church Road Site Cases beyond a one month sampling period. Each of the Cases listed below must be closed out and completed by September 30, 2019. If sampling is not complete by September 30<sup>th</sup>, please submit one consolidated Analytical Request Form for the remaining samples currently scheduled, but not expected to ship before September 30, 2019.

Is there a reason for the delay in sample collection?

**Shiloh Church Rd Site Cases:**

- 48426 - Of the 50 - SOM02.4 scheduled analyses only 23 have shipped and of the 50 SOM02.4 samples only 23 have shipped.
- 48451 – Of the 22 scheduled SOM02.4 analyses, not one sample has shipped.
- 48470 – Of the 10 scheduled ISM02.4 analyses not one has shipped and of the 10 scheduled SOM02.4 samples only 3 have shipped.

Jarmael A. Burman  
US EPA Region 3 - CLP PO/RSCC/DDS  
701 Mapes Road  
Fort Meade, Maryland 20755-5350  
(410) 305-2743 (office)  
(410) 305-3095 (fax)

---

**From:** [Nonresponsive based on revised scope]@WestonSolutions.com>  
**Sent:** Tuesday, September 17, 2019 3:38 PM  
**To:** Burman, Jarmael <Burman.Jarmael@epa.gov>  
**Subject:** RE: Case Status Update

Hi Jay,  
We will not need Saturday delivery for Lower Darby, 48465.  
For Shiloh Church cases 48426, 48451, and 48470, we would like to extend another month, if possible? We will not need Saturday delivery for those cases.  
I am still waiting to hear about [Nonresponsive based on revised scope]  
Thank you,

---

**From:** Burman, Jarmael [mailto:Burman.Jarmael@epa.gov]  
**Sent:** Tuesday, September 17, 2019 1:27 PM  
**To:** [Nonresponsive based on revised scope]@WestonSolutions.com>  
**Subject:** Case Status Update

**\*\* External Email \*\***

Hi [Nonresponsive based on revised scope]

Please provide a status update for the following Cases:

- 48426 – Shiloh Church Road Site – This Case is scheduled to conclude 9/18/2019, would you like to extend this case and if so will Saturday, September 21<sup>st</sup> sample delivery be required?
- 48451 - Shiloh Church Road Site - This Case is scheduled to conclude 9/18/2019, would you like to extend this case and if so will Saturday, September 21<sup>st</sup> sample delivery be required?
- 48470 – Shiloh Church Road Site - This Case is scheduled to conclude 9/18/2019, would you like to extend this case and if so will Saturday, September 21<sup>st</sup> sample delivery be required?
- 48465 – Lower Darby Creek Area – Will Saturday, September 21<sup>st</sup>, sample delivery be required?
- [Nonresponsive based on revised scope] - This Case is scheduled to conclude 9/19/2019, would you like to extend this case and if so will Saturday, September 21<sup>st</sup> sample delivery be required?

**PLEASE NOTE ADDITIONAL SAMPLES MAY NOT BE ADDED TO ANY OF THE ABOVE CASES!**

Jarmael A. Burman  
US EPA Region 3 - CLP PO/RSCC/DDS  
701 Mapes Road  
Fort Meade, Maryland 20755-5350

(410) 305-2743 (office)

(410) 305-3095 (fax)

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.